


Libelium Vodafone Adroit NB-IoT Outdoor AQI Monitoring kit

Quick Start Guide



The IoT Marketplace
— Make it real —



INDEX

1. Identify the products.....	3
2. Open the box.....	3
3. Recharge Plug & Sense!.....	4
4. Antennas set up	4
5. Check connection diagram	5
6. Sensors setup.....	5
7. Connect sensors.....	6
8. Connect Solar Panel	6
9. Turn ON Plug & Sense!.....	7

1. Identify the products



2. Open the box



3. Recharge Plug & Sense!



4. Antennas set up



5. Check connection diagram

Libelium Vodafone-Adroit NB-IoT Outdoor AQI Monitoring kit

Plug & Sense!

- (1) Plug & Sense! Smart Environment NB-IoT / Cat-M x1

Sensor Probes

- (2) Carbon Monoxide (CO) low concentrations [Calibrated] x1
- (3) Ozone (O3) [Calibrated] Probe x1
- (4) Nitric Dioxide (NO2) [Calibrated] (High Accuracy) Probe x1
- (5) Particle Matter (PM1 / PM2.5 / PM10) Dust Probe x1
- (6) Temperature, Humidity and Pressure Probe x1
- (7) Sulfur Dioxide high accuracy (SO₂) (Calibrated) x1

Power Options

- (8) External solar panel 7V - 500mA x1

Training

- (9) Technical Support, 2 hours x1
- (10) Plug&Sense! Programming Service (kit of Marketplace) x1


Connection Diagram



- Show a working demo to your customers within days
- Create an IoT laboratory for your students
- Test and discover the most suitable technology for your project



6. Sensors setup



7. Connect sensors



8. Connect Solar Panel



9. Turn ON Plug & Sense!

